



10,000 Steps Working Paper Series

Paper 13: Awareness of the 10,000 Steps Program across Queensland, 2010

Cindy Hooker
Senior Project Officer

Stephanie Hall
Project Officer

Kylie Connolly
Project Officer

Dr. Mitch Duncan
Project Leader

Institute for Health and Social Science Research
CQUniversity

For information on physical activity and 10,000 Steps programs contact:

10,000 Steps Project Office
Building 18
CQUniversity
Rockhampton QLD 4702

Phone: +61 7 4930 6751
Fax: +61 7 4930 6401
Email: 10000steps@cqu.edu.au
Visit our website: www.10000steps.org.au

Suggested citation: Hooker, C., Hall, S., Connolly, K., & Duncan, M. (2011). *10,000 Steps Working Paper Series, Paper 13: Awareness of the 10,000 Steps Program across Queensland, 2010*. Rockhampton: Institute for Health and Social Science Research, CQUniversity.

© 10,000 Steps January, 2011

ISSN 1835-3789

This work is copyright. This work may be produced in whole or in part for research or training purposes subject to the inclusion of an acknowledgement of the source and provided no commercial usage or sale is to be made. Reproduction for purposes other than those indicated above requires prior written permission of 10,000 Steps, Building 18, CQUniversity, Rockhampton, Queensland, 4702, Australia.

Acknowledgements

Queensland Health provided funding to Central Queensland University for the development of the 10,000 Steps project.

Table of Contents

EXECUTIVE SUMMARY	1
INTRODUCTION	2
Background	2
Purpose of Study.....	2
Survey Method	2
Data Quality	3
Response Rate.....	3
Estimated Sampling Error.....	3
Data Treatment	3
Leisure Time Physical Activity Levels	3
Statistical Analyses.....	4
RESULTS	4
The Sample.....	4
Awareness of the 10,000 Steps Program 2010	4
Gender.....	4
Age Group	5
Location	6
Years of Education	6
Household Income.....	7
Occupation	8
BMI Category.....	8
LTPA Levels	9
Overall Awareness of the 10,000 Steps Program 2005-2010	9
CONCLUSIONS AND RECOMMENDATIONS	10
Future Recommendations.....	12
APPENDIX: TABLES.....	13
Table 1. Demographic characteristics of the total sample of participants, 2010. 13	
Table 2. Crude and adjusted odds ratios for awareness by demographic variables, 2010.	14
Table 3. Awareness of the 10,000 Steps program 2005-2010.....	15
Table 4. Variables associated with awareness of the 10,000 Steps program, 2005-2010.	16
REFERENCES	17

EXECUTIVE SUMMARY

This report details Queensland adults' awareness levels of the 10,000 Steps program in 2010. The report also examines associations between demographic variables and the level of awareness, and trends in awareness of the 10,000 Steps program in the period 2005 to 2010.

A Computer-Assisted-Telephone-Interview (CATI) survey was conducted by the Population Research Laboratory, CQUniversity in July and August 2010. The survey was a random selection of 1261 adults (aged 18 years and over) living in Queensland, Australia that were able to be contacted by direct dialled landline telephone.

- In 2010, 51.7% of the Queensland adult population were aware of the 10,000 Steps program.
 - Awareness was higher in women (64%) compared to men (52%).
 - Forty-eight percent of 18-34 year olds, 57% of 35-44 year olds, 65% of 45-54 year olds and 58% of individuals aged 55 years and over were aware of the program.
 - Fifty-four percent of residents from Brisbane and Moreton statistical subdivisions were aware of the program compared to 66% of residents from the rest of Queensland.
- In 2010, awareness was found to be significantly associated with several socio-demographic characteristics.
 - **Women** were significantly more likely to be aware of the 10,000 Steps program than men.
 - **Residents from the rest of Queensland** were significantly more likely to be aware of the 10,000 Steps program than residents from the Brisbane and Moreton district.
 - Individuals aged **between 45-54 years** were significantly more likely to be aware of the 10,000 Steps program than individuals aged 18-34 years.
 - **Blue collar workers** were significantly less likely to be aware of 10,000 Steps than Professional workers.
 - Individuals who were **overweight or obese** were significantly more likely to be aware of the 10,000 Steps program than individuals of a healthy weight.
 - Awareness was not associated with years of education, household income or leisure time physical activity (LTPA) levels.
- Analysis of the pooled data from the **2005-2010** QSS revealed that awareness has significantly increased each year compared to 2005 levels. Awareness was also significantly associated with several socio-demographic characteristics.
 - **Women** were significantly more likely to be aware of the 10,000 Steps program than men.
 - **Residents from the rest of Queensland** were significantly more likely to be aware of the 10,000 Steps program than residents from the Brisbane and Moreton district.
 - Individuals aged **35 years or older** were significantly more likely to be aware of the 10,000 Steps program than individuals aged 18-34 years.
 - Individuals with **13 years of education or more** were significantly more likely to be aware of the 10,000 Steps program than those with 10 years of education or less.
 - Individuals earning an **annual household income of greater than \$52 000** were significantly more likely to be aware of the 10,000 Steps program than those earning \$26 000 or less.
 - Individuals who were **overweight or obese** were significantly more like to be aware of 10,000 Steps than those who were of a healthy weight.

INTRODUCTION

Background

10,000 Steps Rockhampton was Australia's first 'whole of community' health promotion physical activity project. Funded by Queensland Health, the Rockhampton region was chosen for a two year trial of the project in 2001. During this period, the 10,000 Steps Rockhampton Project was an exemplary model of an effective multi-strategy, multi-sector physical activity project. [1] The project was successful in motivating local communities, workplaces and individuals to increase their physical activity levels. As a result of the success in Rockhampton, Queensland Health provided funding for 10,000 Steps to be developed as a sustainable state-wide and beyond initiative.

10,000 Steps now disseminates physical activity information, materials, resources and support via the interactive 10,000 Steps website (www.10000steps.org.au). Since 2004, organisations and community groups have adopted and implemented the 10,000 Steps resources across Queensland and nation-wide to promote physical activity and raise awareness of the associated health benefits. Individuals are also involved in the program by using the interactive online Step Log to record and monitor their physical activity levels. As of January 2011, the 10,000 Steps program has over 143,500 individual members and 5,300 Providers (organisations and community groups) registered with the 10,000 Steps website.

Awareness levels of the 10,000 Steps program across Queensland have been monitored annually from 2005 to examine the effectiveness and the dissemination of the 10,000 Steps program. This data has examined the overall awareness of the program in a representative sample of the Queensland population and also in selected demographic sub-samples. Previous awareness statistics have shown that awareness has significantly increased each year from 2005 to 2007, remained stable in 2008 and significantly increased in 2009. [2-5] It has also been found that certain demographic sub-samples are more likely to be aware of 10,000 Steps than others. [2-5] For example, it has been consistently shown that women are more aware of the program than men and that the residents from the rest of Queensland are more aware than residents from Brisbane and Moreton Districts. [2-5] The current report details the follow-up study of 10,000 Steps awareness conducted in 2010.

Purpose of Study

The purpose of this study was to examine the awareness of the 10,000 Steps program across Queensland in 2010. In addition, the study examined if demographic variables (i.e. gender, age, location, years of education, annual household income, occupation, BMI category and LTPA levels) were associated with program awareness. Finally, this study examined trends in awareness of the 10,000 Steps program in Queensland using combined data from the year 2005 to 2010.

Survey Method

A section of the 2010 Queensland Social Survey (QSS) was sponsored by the 10,000 Steps project to investigate awareness of the program across Queensland. Conducted by the Population Research Laboratory (PRL) within the Institute for Health and Social Science Research (IHSSR) at CQUniversity, the 2010 QSS is the sixth in a series of annual cost-shared, omnibus surveys aimed at obtaining public opinion on a range of topics held by a representative sample of Queensland residents. The QSS is comprised of core questions (e.g. publicity and social capital), demographic questions and a series of sponsored questions. This survey allows researchers and community organisations to access a credible, reliable and relatively low-cost data-collection vehicle.

The QSS was administered through the Computer-Assisted-Telephone-Interview (CATI) system housed in the PRL, from July 20th 2010 until August 19th 2010. The target population was all individuals who were 18 years or older, lived in a dwelling unit in Queensland and could be contacted by a direct-dialled land-based telephone service. This population was divided into two sub-samples, 1: South-East Queensland (Brisbane and Moreton statistical sub-divisions) and 2: the rest of Queensland. A random sample approach was undertaken to ensure that each member of the target population had an equal chance of selection. The survey received ethical clearance from the Human Research Ethics Committee at CQUniversity Australia.

Data Quality

Response Rate

The response rate calculation follows the recommended standard definitions of response rates based on the American Association for Public Opinion Research, Standard Definitions. [6] The response rate is a calculated percentage representing the number of people participating in the survey either with a completed or partially completed interview divided by the people selected in the sample.

RR6 is the maximum response rate. The calculations for RR6 are shown below.

$$RR6 = \frac{\text{Complete Interviews} + \text{Partial Interviews}}{(\text{Complete} + \text{Partial}) + (\text{Refusal} + \text{Non Contact} + \text{Other})}$$
$$RR6 = \frac{1261 + 24}{(1261 + 24) + (2090 + 168 + 108)}$$

The RR6 Response Rate for the 2010 QSS was 35.2%.

Estimated Sampling Error

The sampling error is a measure of the validity of the descriptive statistics that are observed in a sample. The estimated sampling error, at the 95% confidence level, for the Rest of State area sample of 426 households and a 50/50 binomial percentage distribution is plus or minus 4.7 percentage points. The sampling error for Brisbane and Moreton statistical sub-divisions at the same level of confidence is plus or minus 3.4 percentage points. Survey estimates for the total sample of 1,261 are accurate within plus or minus 2.7 percentage points, 19 times out of 20. [7]

Data Treatment

10,000 Steps awareness in 2010 was analysed by geographical location (Brisbane and Moreton, Rest of Queensland), gender, age, years of education, household income, occupation, body mass index (BMI) and leisure time physical activity (LTPA) levels.

Leisure Time Physical Activity Levels

Leisure time physical activity data was collected using the Active Australia Survey instrument. [8] Following the Active Australia guidelines levels of physical activity were categorized as follows:

- 1) Sedentary (Reported no walking, moderate- or vigorous-intensity activity in the week prior to the survey);
- 2) Insufficient Activity (Reported less than 150 minutes of physical activity or reported more than 150 minutes of activity but in less than five sessions in the week prior);
- 3) Sufficient Activity (Reported a minimum of 150 minutes of activity conducted in five or more sessions in the week prior).

Statistical Analyses

Prevalence estimates are presented as a percentage of the population. Logistical regression was used to describe the associations between awareness and the selected demographic measures assessed in the study. The association is presented as an odds ratio in comparison to a reference group and indicates the increased or decreased likelihood of a sub-group in the population to perform a specific behaviour. For example, a significant positive odds ratio indicates that the sub-group is more likely to perform the specified behaviour when compared to the reference group. A significant negative odds ratio indicates that the sub-group is less likely to perform the specified behaviour than the reference group.

To examine the prevalence of awareness from 2005 to 2010 the data from all five QSS surveys were combined and a final logistic regression was performed. This logistic regression examined the association between awareness and demographic variables within the total sample and also investigated awareness across the five years. All tests were performed at an alpha level of 0.05.

RESULTS

The Sample

Of the sample, 66.2% were located in the Brisbane and Moreton areas (SEQ), with the residual 33.8% located in the remaining areas of Queensland. Approximately 69.3% of the sample were 45 years or older and around 62.2% of the respondents earned an annual household income greater than \$52 000. Self report data showed that over 65.6% of the participants were overweight or obese while 46.7% of the samples were sufficiently active for health benefits. Further demographics of the sample are presented in Table 1 (see Appendix).


Awareness of the 10,000 Steps Program 2010

Awareness of the 10,000 Steps program was determined through the following research question using a yes no response format; 'Have you heard of the Ten Thousand (10,000) Steps program?' Across the total sample of Queenslanders, 64.4% of the respondents were aware of the 10,000 Steps program. The prevalence of awareness across gender, age, location, years of education, household income and occupation variables are shown in Table 2 (see Appendix). To determine if participant characteristics influenced awareness, crude and adjusted odds ratios were calculated. The results of the [logistical regression analysis](#) investigating the associations between demographic variables and awareness are also presented in Table 2. The crude odds ratios revealed significant associations between awareness and gender, age group, location, household income, occupation and BMI category. Significant associations were also found between awareness and gender, age group, location, occupation and BMI category when adjusting for all demographic variables in the final model. Results are discussed in the following sections.

Gender

A higher percentage of women (64.3%) were aware of the 10,000 Steps program than men (52.4%; Figure 1). The logistic regression analysis revealed that women were significantly more likely to be aware of 10,000 Steps than men.


Figure 1. Percentage of respondents aware of 10,000 Steps by gender.



Age Group

Participants aged 45-54 years had the highest levels of awareness of the 10,000 Steps program (65.3%). This was followed by the 55 years or older year age group (58.4%) and the 35-44 age group (57.8%). Participants aged 18-34 years had the lowest levels of awareness at 47.9% (Figure 2). The crude odds ratios revealed that respondents aged 45-54 years and 55 years or older were significantly more likely to be aware of 10,000 Steps than those aged 18-34 years. Individuals aged between 45-54 years were significantly more likely to be aware of the 10,000 Steps program when adjusting for all other demographic variables.


Figure 2. Percentage of respondents aware of 10,000 Steps by age.



Location

Residents from the rest of Queensland (66.4%) were more aware of the 10,000 Steps program than residents living in the Brisbane and Moreton area (54.1%; Figure 3). Odds ratios, adjusted for all demographic variables, showed that residents from the rest of Queensland were significantly more likely to be aware of the 10,000 Steps program compared to Brisbane and Moreton residents.


Figure 3. Percentage of respondents aware of 10,000 Steps by location.



Years of Education

Participants with 13-14 years of education had the highest percentage awareness of the 10,000 Steps program (61.6%). This was followed by participants with 15 years or more of education (61.0%) and 11-12 years of education (55.6%). Participants with 0-10 years of education reported the lowest levels of awareness at 55.3% (Figure 4). Odds ratios revealed no significant associations between education level and awareness of 10,000 Steps.


Figure 4. Percentage of respondents aware of 10,000 Steps by years of education.



Household Income

Participants with an annual household income of over \$100 000 had the highest levels of awareness of the 10,000 Steps program (66.7%). This was followed by participants earning \$52 001-\$100 000 (60.8%) and those earning \$26 000-\$52 000 (58.5%). Participants earning \$26 000 or less had the lowest levels of awareness at 48.8% (Figure 5). Crude odds ratios revealed that those earning a household income of \$52 001-\$100 000 and greater than \$100 000 were significantly more likely to be aware of 10,000 Steps than those earning \$26 000 or less.


Figure 5. Percentage of respondents aware of 10,000 Steps by household income.



Occupation

Professional workers reported the highest levels of awareness of the 10,000 Steps program (65.7%), followed by white collar workers (62.1%) and finally, blue collar workers (46.9%; Figure 6). Adjusted odds ratios revealed that those in a Blue Collar occupation were significantly less likely to be aware of 10,000 Steps than those in White Collar or Professional occupations.


Figure 6. Percentage of respondents aware of 10,000 Steps by occupation.



BMI Category

Participants who were Overweight or Obese (60.3%) reported a higher level of awareness than healthy weight participants (54.3%). Adjusted odds ratios revealed that those participants who were Overweight or Obese were significantly more likely to be aware of 10,000 Steps than those who were of a Healthy weight.

Figure 7. Percentage of respondents aware of 10,000 Steps by BMI category.



LTPA Levels

LTPA levels were found not to be associated with awareness in the crude odds ratio analysis. Therefore, this variable was not included in the final logistic regression model.

Overall Awareness of the 10,000 Steps Program 2005-2010

The awareness data from 2005 to 2010 was combined and analysed to investigate trends in 10,000 Steps awareness over the past five years. The awareness levels over these five years can be seen in Table 3 (see Appendix). It can be seen that awareness levels have steadily increased from 2005 to 2007, remained relatively stable in 2008, increased again in 2009 and saw a slight dip in 2010.

Results of the final logistic regression conducted on the combined data can be seen in Table 4 (see Appendix). The results indicate that respondents from the 2006, 2007, 2008, 2009 and 2010 QSS were more likely to be aware of the 10,000 Steps program than respondents from the 2005 QSS. Furthermore it was found that all socio-demographic variables included in the analysis were significantly associated with awareness of the 10,000 Steps program. Women were significantly more likely to be aware of the program than men. Respondents aged 35 years or older were significantly more likely to be aware than those aged 18-34 years. Respondents with 13 years of education or more were more likely to be aware than those with 10 years of education or less and respondents with an annual household income greater than \$52 000 were significantly more likely to be aware than those with an annual household income of \$26 000 or less. Blue collar workers were less likely to be aware of 10,000 Steps compared to professional workers. Respondents who were overweight or obese were significantly more likely to be aware of 10,000 Steps than those who were of a healthy weight.

CONCLUSIONS AND RECOMMENDATIONS

With the continued dissemination of the 10,000 Steps program across Queensland and beyond, it is important to investigate and monitor the awareness of the program in the general population. Currently, 51.7% of Queensland residents are aware of the 10,000 Steps program. This is less than the awareness statistics observed in 2009 indicating that awareness of the 10,000 Steps program has slightly decreased over the past 12 months.

In 2010, awareness of 10,000 Steps was found to be associated with resident's geographical location, with residents from the rest of Queensland more likely to be aware of 10,000 Steps than those from Brisbane and Moreton districts. This relationship was also seen in 2005, 2006, 2007, 2008 and 2009. [2-6] This finding can be explained by the promotion and dissemination of 10,000 Steps activities across Queensland. As 10,000 Steps began in regional Queensland, individuals from the rest of Queensland sub-sample have been exposed to the program for a longer duration of time which would result in a higher proportion of residents reporting awareness. It has also been observed that there are a higher number of community based 10,000 Steps programs (i.e. Mackay, Cairns, Townsville, and Rockhampton) initiated in the rest of Queensland than in the Brisbane and Moreton Bay districts. Although a significant difference still exists between awareness of individuals located in Brisbane and Moreton districts and the rest of Queensland, awareness levels in Brisbane and Moreton districts continues to increase. With continued promotion and dissemination in the Brisbane and Moreton Bay districts, awareness of the 10,000 Steps program should reach similar levels throughout Queensland. The development of further Brisbane projects will hopefully contribute to and increase the awareness of the 10,000 Steps program in this region.

Analysis of the 2010 data revealed that awareness was also associated with gender, age, annual household income, occupation and BMI category. Similar results have been found in previous studies investigating 10,000 Steps awareness in Queensland. [2-6] Furthermore, when data from all variables were combined and analysed, awareness was found to be associated with location, gender, age, occupation and BMI category. These findings indicate that certain demographic sub-groups of the population are more likely to be aware of 10,000 Steps than others. Women, older adults, individuals from the rest of Queensland and individuals who were overweight or obese were more likely to be aware of the 10,000 Steps program than their respective reference groups.

It is unclear why certain sub-groups of the population are more likely to be aware of the 10,000 Steps program. Middle age women appear to report the greatest awareness. The nature of the 10,000 Steps program may be more appealing to mid-age women, as both this program and other pedometer based physical activity promotion programs have reported higher levels of awareness and participation in this sub-group. [9-11] Statistics for 2010 show that 33% of women in Australia chose walking as a sporting and/ or recreational activity, whereas only 17% of men made this selection. [12] This suggests that walking is a more favourable sporting and/ or recreational choice for women.

Higher socioeconomic status has consistently been associated with higher awareness of the 10,000 Steps program. The promotion of specific 10,000 Steps strategies, such as the 10,000 Steps Workplace program may contribute to the increased awareness observed in higher socioeconomic sub-groups. Individuals from a higher socioeconomic background, i.e. those whom have higher income, greater years of education and/ or a professional occupation, may also find the resources more easily accessible and affordable as 10,000 Steps is predominantly internet-based. Statistics from the Australian Bureau of Statistics suggest that in 2007-08 households with higher levels of joint income have increased access to a computer or internet in the home in comparison to households with lower levels of income [13] This study also found that higher educational attainment was positively correlated with increased likelihood of computer and internet

access. [13] By having increased access to a computer and the internet, people of higher socioeconomic status have more opportunity to be aware of the 10,000 Steps program.

In the current study, the data reflected a significant difference in awareness of the 10,000 Steps program between 45-54 year olds. It is unknown why younger Australians are not as aware of the 10,000 Steps program as middle age Australians, considering that statistics show 15 to 24 year old Australians use the internet more than any other age groups. [13] Perhaps an increase in focus on employee health in Queensland workplaces has exposed more middle age people to physical activity initiatives such as the 10,000 Steps program. In addition, as 18-34 year olds are more likely to be more active, [14] they may not be seeking programs such as 10,000 Steps for health benefits.

Awareness of the 10,000 Steps program throughout Queensland has increased since the Queensland Social Survey commenced in 2005. This trend could be associated with the significant increase in household access to computers and the internet within Australia over time. [15] Statistics show that household access to computers has amplified from 44% in 1998 to 78% in 2008-09. [15] Furthermore, internet access within households has increased from 16% in 1998, to 72% in 2008-09. [15] As the internet becomes more functional in everyday life, it's abundance within the home and workplace environments' is expected to increase. The Australian population are utilising computer technologies and the internet more in current times, and as 10,000 Steps is distributed via the internet the likelihood of them becoming aware of this program increases.

The increase in awareness of the 10,000 Steps project may also be attributable to the development of various infrastructure throughout Queensland. The implementation of infrastructure that supports walking, such as pathways, has been identified as an effective means of increasing physical activity participation in Queensland. [16] A study from the Australian Bureau of Statistics shows that since 1998-99 through to 2007-08, there has been increased construction toward recreational activity. [17] In recent years the 10,000 Steps walkway signage has been implemented along numerous pathways. In addition to promoting physical activity, this signage also exposes residents to the 10,000 Steps program. It is postulated that the increased growth and investment toward recreational projects [17] may have aided in the increased awareness of the 10,000 Steps project that we have seen over the years.

The higher levels of awareness observed in women, older adults and individuals from the rest of Queensland sub-sample show that 10,000 Steps has been successful at reaching some of the least physically active sub-groups in the population. Both Queensland and national data show that women and older adults are more likely to be sedentary than the rest of the population and/or less likely to participate in physical activity. [18, 19] Similarly, it has been shown that individuals located outside of the state capital cities (i.e. within the rest of state) have lower participation rates in physical activity. [20] Therefore, the 10,000 Steps program has been successfully promoted to these less physically active target groups. For the future development of 10,000 Steps and to therefore increase physical activity participation, it is important that specific 10,000 Steps strategies and promotional activities are developed to reach those individuals who are least likely to be aware of the program.

Overall, this awareness data shows that 10,000 Steps has been successfully disseminated and promoted across Queensland. Awareness of the 10,000 Steps program across Queensland has increased since 2005 and has remained above 50% over the past four years. This provides further evidence that the internet has been a valuable tool for disseminating the physical activity program to individuals, organisations and community groups. [9] The sustained dissemination and promotion of the program across the state should continue to raise awareness of the 10,000 Steps program across Queensland.

Future Recommendations

To ensure that awareness of the 10,000 Steps program increases in the future, further promotion and dissemination of the 10,000 Steps program is needed. From the data, the following sub-groups have been identified as those which should be targeted: residents from Brisbane and Moreton Bay districts, men, individuals aged 18-34 years, individuals with fewer years of education, individuals with a mid-socio economic status and blue collar workers. These groups are less likely to be aware of the 10,000 Steps program when compared with other demographic groups. Individuals of lower socio-economic status should be targeted in particular as they are less likely to participate in sufficient levels of physical activity, as supported by alternate research. [21, 22]

Continued examination of the awareness of 10,000 Steps across Queensland should be conducted to monitor the dissemination of the project and to enable researchers to identify areas and target groups toward which further promotion is required. As the promotion of the 10,000 Steps program continues, it may also be valuable to investigate 10,000 Steps awareness on a national level as an increasing number of organisations and communities outside of Queensland are adopting the program.

APPENDIX: TABLES

Table 1. Demographic characteristics of the total sample of participants, 2010(n=1261).

Characteristic	n	%	Valid %
Gender			
Male	635	50.4	50.4
Female	626	49.6	49.6
Age Group			
18-34 years	166	13.2	13.3
35-44 years	218	17.3	17.4
45-54 years	291	23.1	23.3
55+ years	576	45.7	46.0
Missing	10	0.8	
Location			
Brisbane & Moreton	835	66.2	66.2
Rest of Queensland	426	33.8	33.8
Years of Education			
0-10 years	356	28.2	28.5
11-12 years	257	20.4	20.6
13-14 years	199	15.8	15.9
≥15 years	438	34.7	35.0
Missing	11	0.9	
Household Income (per annum)			
Nil-\$26 000	164	13.0	20.0
\$26 001-\$52 000	147	11.7	17.9
\$52 001-\$100 000	237	18.8	28.9
>\$100 000	273	21.6	33.3
Missing	440	34.9	
Occupation			
Professional	420	33.3	57.7
White Collar	161	12.8	22.1
Blue Collar	147	11.7	20.2
Missing	533	42.3	
BMI Category			
Healthy weight	431	34.2	34.4
Overweight or Obese	823	65.3	65.6
Missing	7	0.6	
LTPA Levels			
Sedentary	225	17.8	17.9
Insufficient Activity	445	35.3	35.4
Sufficient Activity	588	46.6	46.7
Missing	3	0.2	

Table 2. Crude and adjusted odds ratios for awareness by demographic variables, 2010.

Variable	n	% Aware	Crude OR	95% CI	Adjusted ^a OR ^b	95% CI
Gender						
Male	332	52.4	1.00	Reference	1.00	Reference
Female	402	64.3	1.64	1.31-2.06	1.55	1.00-2.38
Age Group						
18-34 years	79	47.9	1.00	Reference	1.00	Reference
35-44 years	126	57.8	1.49	0.99-2.24	1.81	0.64-2.19
45-54 years	190	65.3	2.05	1.39-3.02	2.02	1.10-3.71
≥55 years	336	58.4	1.53	1.08-2.17	1.76	0.93-3.33
Location						
Brisbane & Moreton	451	54.1	1.00	Reference	1.00	Reference
Rest of Queensland	283	66.4	1.68	1.32-2.14	2.27	1.47-3.51
Years of Education						
0-10	197	55.3	1.00	Reference	1.00	Reference
11-12	143	55.6	1.01	0.73-1.40	0.72	0.37-1.38
13-14	122	61.6	1.30	0.91-1.85	0.89	0.44-1.78
≥15	267	61.0	1.26	0.95-1.67	0.73	0.39-1.35
Household Income						
Nil-\$26 000	80	48.8	1.00	Reference	1.00	Reference
\$26 001-\$52 000	86	58.5	1.48	0.95-2.32	0.41	0.15-1.13
\$52 001-\$100 000	144	60.8	1.63	1.09-2.43	0.60	0.24-1.51
>\$100 000	182	66.7	2.10	1.41-3.12	0.97	0.39-2.44
Occupation						
Professional	276	65.7	1.00	Reference	1.00	Reference
White Collar	100	62.1	0.86	0.59-1.25	0.91	0.53-1.57
Blue Collar	69	46.9	0.46	0.32-0.68	0.42	0.24-0.72
BMI Category						
Healthy weight	233	54.3	1.00	Reference	1.00	Reference
Overweight or Obese	496	60.3	1.28	1.01-1.62	1.69	1.11-2.57

Odds ratios adjusted for all variables in the table.

^b n= 500

Table 3. Awareness of the 10,000 Steps program 2005-2010.

Variable	% Aware 2005	% Aware 2006	% Aware 2007	% Aware 2008	% Aware 2009	% Aware 2010
Total	33.5	42.5	56.6	53.7	64.4	51.7
Gender						
Male	29.0	36.5	53.1	48.1	58.2	52.4
Female	37.7	48.5	60.0	59.2	70.8	64.3
Age Group						
18-34 years	31.9	40.3	41.8	43.8	56.5	47.9
35-44 years	33.9	42.0	63.5	57.0	70.5	57.8
45-54 years	38.8	52.0	61.0	66.8	68.3	65.3
≥55 years	30.3	37.3	57.1	49.0	62.8	58.4
Location						
Brisbane & Moreton	26.0	37.0	52.6	48.7	59.9	54.1
Rest of Queensland	47.9	53.3	64.5	63.2	73.5	66.4
Years of Education						
0-10	25.6	35.4	49.9	47.8	61.1	55.3
11-12	32.3	38.0	58.1	51.7	62.2	55.6
13-14	42.3	43.4	51.1	49.1	57.6	61.6
≥15	37.0	49.5	62.5	62.1	71.0	61.0
Household Income						
Nil-\$26 000	30.2	36.4	47.7	40.0	53.6	48.8
\$26 001-\$52 000	29.4	40.2	60.1	47.8	54.9	58.5
\$52 001-\$100 000	35.8	48.5	59.6	59.8	66.5	60.8
>\$100 000	40.4	49.7	70.0	62.4	78.6	66.7
Occupation						
Professional	37.3	49.5	64.5	62.7	76.7	65.7
White Collar	38.1	43.8	52.4	55.1	66.4	62.1
Blue Collar	31.4	34.6	50.0	46.7	47.1	46.9
BMI Category						
Healthy weight	32.7	41.7	52.9	52.5	62.7	54.3
Overweight/ Obese	34.4	42.8	60.4	54.5	65.6	60.3
LTPA Levels						
Sedentary	31.8	-	43.2	50.5	59.1	47.9
Insufficient Activity	34.4	-	60.4	51.8	64.3	53.8
Sufficient Activity	33.5	-	58.8	55.6	66.4	55.4

Table 4. Variables associated with awareness of the 10,000 Steps program, 2005-2010.

Variables	Adjusted^a OR^b	95% CI
Gender		
Male	1.00	Reference
Female	1.79	1.50-2.14
Age Group		
18-34 years	1.00	Reference
35-44 years	1.40	1.11-1.76
45-54 years	1.97	1.56-2.48
≥55 years	1.64	1.26-2.13
Location		
Brisbane & Moreton	1.00	Reference
Rest of Qld	2.27	1.90-2.71
Years of Education		
0-10	1.00	Reference
11-12	1.16	0.89-1.50
13-14	1.34	1.00-1.78
≥ 15	1.61	1.27-2.05
Household Income		
Nil-\$26 000	1.00	Reference
\$26 001-\$52 000	1.05	0.73-1.51
\$52 001-\$100 000	1.52	1.10-2.11
>\$100 000	2.06	1.47-2.88
Occupation		
Professional	1.00	Reference
White Collar	0.95	0.75-1.21
Blue Collar	0.66	0.53-0.82
BMI Category		
Healthy weight	1.00	Reference
Overweight or Obese	1.25	1.05-1.48
Year of Survey		
2005	1.00	Reference
2006	1.61	1.21-2.13
2007	3.05	2.28-4.08
2008	2.54	1.93-3.34
2009	4.05	3.05-5.38
2010	2.91	2.20-3.85

^a Odds ratios adjusted for all variables in the table.

REFERENCES

1. Brown WJ, Mummery K, Eakin E, Schofield G. 10,000 Steps Rockhampton: evaluation of a whole of community approach to improving population levels of physical activity. *J Physical Activity Health* 2006; 3(1):1-14.
2. Joyner K. Paper 1: Awareness of the 10,000 Steps program across Queensland. Rockhampton: Centre for Social Science Research, Central Queensland University; 2006.
3. Joyner K, Mummery WK. Paper 4: Awareness of the 10,000 Steps Program across Queensland, 2006. Rockhampton: Centre for Social Science Research, Central Queensland University; 2006.
4. Joyner K, Mummery WK. Paper 5: Awareness of the 10,000 Steps Program across Queensland, 2007. Rockhampton: Centre for Social Science Research, Central Queensland University; 2007.
5. Joyner K, Mummery WK. Paper 6: Awareness of the 10,000 Steps Program across Queensland, 2008. Rockhampton: Centre for Social Science Research, Central Queensland University; 2008.
6. Corry K, Behan R & Mummery WK. Paper 8: Awareness of the 10,000 Steps Program across Queensland, 2009. Rockhampton: Institute for Health & Social Science Research, Central Queensland University, 2009.
7. The American Association for Public Opinion Research. Standard Definition: Final Dispositions of Case Codes and Outcome Rates for Surveys. 3rd ed. Lenaxa, Kansas: AAPOR; 2004.
8. Earl B. *The Practice of Social Research*. 5th ed. Belmont, California: Wadsworth Publishing Company; 1989.
9. Australian Institute of Health and Welfare. *The Active Australia Survey: a guide and manual for implementation, analysis and reporting*. Canberra: AIHW; 2003.
10. Mummery WK, Schofield G, Hinchliffe A, Joyner K, Brown W. Dissemination of a community-based physical activity project: The case of 10,000 steps. *Journal of Science and Medicine in Sport* 2006; 9(5):424-30.
11. Plotnikoff RC, Spence JC, Tavares LS, Rovniak LS, Bauman A, Lear SA, et al. Characteristics of Participants Visiting the Canada on the Move Website. *Canadian Journal of Public Health* 2006; 97:S28.
12. Craig CL, Cragg SE, Tudor-Locke C, Bauman A. Proximal impact of Canada on the move. The relationship of campaign awareness to pedometer ownership and use. *Canadian Journal of Public Health* 2006; 97(SUPPL. 1).
13. Australian Bureau of Statistics. *Sports and physical recreation: A statistical overview, Australia, 2009. Participation in sport and recreation*. [Online]. Available from: <http://www.abs.gov.au/ausstats/abs@.nsf/Latestproducts/70172D73321D612CC A2576570015B36E?opendocument> [Accessed 5th January 2010]
14. Australian Bureau of Statistics. *Australian Social Trends 2008. Internet access at home*. [Online]. Available from: [http://www.ausstats.abs.gov.au/Ausstats/subscriber.nsf/0/5A60A933925F7987C A25748E0012ADCF/\\$File/internet%20access%20at%20home%20final%20version.pdf](http://www.ausstats.abs.gov.au/Ausstats/subscriber.nsf/0/5A60A933925F7987C A25748E0012ADCF/$File/internet%20access%20at%20home%20final%20version.pdf) [Accessed 5th January 2010]
15. Australian Bureau of Statistics. *Sports and recreation: A statistical overview, Australia, 2008*. [Online]. Available from:

- [http://www.ausstats.abs.gov.au/Ausstats/subscriber.nsf/0/36DDDB93553706D8CA2574D600178FAB/\\$File/41560_2008%20\(Edition%202\).pdf](http://www.ausstats.abs.gov.au/Ausstats/subscriber.nsf/0/36DDDB93553706D8CA2574D600178FAB/$File/41560_2008%20(Edition%202).pdf)
16. Australian Bureau of Statistics. *Household use of information technology, Australia, 2008-09*. [Online]. Available from:
<http://www.abs.gov.au/ausstats/abs@.nsf/PrimaryMainFeatures/8146.0?OpenDocument> [Accessed 24th November 2009]
 17. Queensland Transport. *Action plan for walking, 2008-2010*. [Online]. Available from:
http://www.transport.qld.gov.au/resources/file/eb01b604613ddc7/Pdf_walking_action_plan.pdf [Accessed 4th January 2010]
 18. Australian Bureau of Statistics. *Sports and physical recreation: A statistical overview, Australia, 2009. Engineering construction of sports and physical recreation facilities*. [Online]. Available from:
<http://www.abs.gov.au/ausstats/abs@.nsf/Latestproducts/143675716D63832BCA2576570015F679?opendocument> [Accessed 24th November 2009]
 19. Queensland Health, Australian Institute of Health and Welfare. *Physical activity patterns of Queensland adults: Trends from 1997 to 2001*. Brisbane: Queensland Health and Australian Institute of Health and Welfare; 2003.
 20. Australian Bureau of Statistics. *Physical activity in Australia: A snapshot, 2004-05*. Canberra: ABS; 2006.
 21. Australian Sports Commission. *Participation in exercise, recreation and sport survey: 2004 annual report*. Canberra: ASC; 2005.
 22. Trost SG, Owen N, Bauman AE, Sallis JF, Brown W. Correlates of adults' participation in physical activity: review and update. *Medicine and Science in Sports and Exercise* 2002; 34(1996-2001).
 23. Sallis JF, Owen N. *Physical activity and behavioral medicine*. Thousand Oaks: Sage Publications; 1999.



For information on physical activity
and programs contact:

10,000 Steps
Ph: (07) 4930 6751 Fax: (07) 4930 6402
Email: 10000steps@cqu.edu.au
Website: www.10000steps.org.au